



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : D06M 10/08	A1	(11) International Publication Number: WO 92/15745 (43) International Publication Date: 17 September 1992 (17.09.92)
(21) International Application Number: PCT/US92/00661 (22) International Filing Date: 30 January 1992 (30.01.92) (30) Priority data: 91200507.1 8 March 1991 (08.03.91) EP (34) Countries for which the regional or international application was filed: AT et al. 91870105.3 3 July 1991 (03.07.91) EP (34) Countries for which the regional or international application was filed: AT et al. 91870187.1 22 November 1991 (22.11.91) EP (34) Countries for which the regional or international application was filed: AT et al. (71) Applicant (for all designated States except US): THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 54202 (US).		(72) Inventor; and (75) Inventor/Applicant (for US only) : HUBESCH, Bruno, Albert, Jean [BE/BE]; Sint-Pauluslaan 6, B-3080 Tervuren (BE). (74) Agent: REED, T., David; The Procter & Gamble Company, Ivorydale Technical Center, 5299 Spring Grove Avenue, Cincinnati, OH 45217-1087 (US). (81) Designated States: AT, AU, BB, BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CI (OAPI patent), CM (OAPI patent), CS, DE, DK, ES, FI, GA (OAPI patent), GB, GN (OAPI patent), HU, JP, KP, KR, LK, LU, MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL, NO, PL, RO, RU, SD, SE, SN (OAPI patent), TD (OAPI patent), TG (OAPI patent), US. Published <i>With international search report.</i>
(54) Title: CONCENTRATED FABRIC SOFTENING COMPOSITIONS (57) Abstract Concentrated fabric softening compositions are described which retain viscosity upon dilution in water. The compositions comprise cationic fabric softening actives, as well as a specific combination of emulsifiers and polymers. The present invention also encompasses a method for the softening of fabrics.		

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	ML	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina Faso	GN	Guinea	NL	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IE	Ireland	RO	Romania
CA	Canada	IT	Italy	RU	Russian Federation
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark	MG	Madagascar		
ES	Spain				

CONCENTRATED FABRIC SOFTENING COMPOSITIONSTechnical field

The present invention relates to fabric softeners. The compositions according to the invention are concentrated fabric softening compositions which retain viscosity upon dilution.

Background

Concentrated fabric softening compositions have been extensively described in the art, and one aspect which has often been discussed is the viscosity of these concentrated compositions; indeed these concentrated compositions are typically extremely viscous and the prior art has often described means by which the viscosity of these concentrated compositions could be controlled or decreased. One aspect which has been much less dealt with is the viscosity of these concentrated compositions upon dilution; indeed it has been observed that the viscosity of such concentrated compositions dramatically drops upon dilution, and this viscosity loss is clearly undesirable, essentially in terms of consumer acceptance.

It is therefore an object of the present invention to provide a concentrated fabric softening composition which has an acceptable viscosity in the concentrated form, and which retains acceptable viscosity after it has been diluted.

This technical problem was discussed in GB 2 007 734 which proposes to use a combination of a fatty quaternary ammonium


salt having two long chain alkyl groups together with an oily substance.

Concentrated fabric softeners have been described for instance in EP 56 695, EP 13 780, DE 26 31 114 and EP 60 003, and a process for the preparation of concentrated fabric softening compositions is disclosed in EP-A-316 996.

Summary of the invention

It has now been found that the above object can be achieved by formulating a concentrated fabric softening composition comprising from 10% to 35% by weight of a cationic fabric softening active, said composition further comprising:

- from 0.3% to 3 % by weight of the composition of a linear fatty alcohol ethoxylate of the formula $RO(Etox)_n$, wherein R is a linear C_8-C_{18} alkyl chain, and n representing the weighted average ethoxylation degree is of from 3 to 35, or mixtures thereof;
- from 0.5% to 6% by weight of the total composition of a nonionic hydrophilic polymer, or mixtures thereof;
- from 0 % to 2% by weight of the total composition of a highly branched fatty alcohol having from 8 to 18 carbon atoms, or mixtures thereof;
- from 0% to 0.5 % by weight of the total composition of a linear or cyclic polydialkylsiloxane of the formula




wherein R is a C_1-C_5 alkyl chain, and m is an integer of from 1 to 500, or mixtures thereof.

The present invention also encompasses a method for the softening of fabrics, wherein the above concentrated compositions are diluted in water before they are contacted with said fabrics in the rinse water.

Detailed description of the invention


The compositions according to the invention are concentrated fabric softeners; by concentrated, it is meant that the compositions comprise from 10% to 35% by weight of the total composition of a cationic fabric softening active or mixtures thereof, preferably 15% to 25%. By cationic, it is meant any softening compound which is in cationic form in the concentrated softening composition. Suitable cationic fabric softening actives include

(i) acyclic quaternary ammonium salts having the formula :




wherein R_2 is an acyclic aliphatic C_{15} - C_{22} hydrocarbon group which may be interrupted by ester groups, R_3 is a C_1 - C_4 saturated alkyl or hydroalkyl group, R_4 is selected from R_2 and R_3 , and A^- is an anion; rapidly biodegradable compounds of formula (i) where R_2 , and possibly R_4 , are interrupted by ester groups, are disclosed in EPA 239 910;

(ii) diamido quaternary ammonium salts having the formula :




wherein R is an acyclic aliphatic C_{15} - C_{22} hydrocarbon group, R_2 is a divalent alkylene group having 1 to 3 carbon atoms, R_5 and R_8 are C_1 - C_4 saturated alkyl or hydroxyalkyl groups, and A^- is an anion :

(iii) diamido alkoxyated quaternary ammonium salts having the formula :



wherein n is an integer of from about 1 to about 5, and R₁, R₂, R₅ and A⁻ are as defined above.

(iv) quaternary imidazolinium compounds having the formula:




wherein R₁ = C₁₅-C₁₇ saturated alkyl, R₂ = C₁-C₄ saturated alkyl, Z = NH or O, and A⁻ is an anion.

Examples of Component (i) are the well-known dialkyldimethylammonium salts such as ditallowdimethylammonium chloride (DTDMAC), ditallowdimethylammonium methylsulfate, di(hydrogenated tallow) dimethylammonium chloride, dibehenyldimethylammonium chloride.

Examples of Component (ii) and (iii) are methylbis(tallowamidoethyl) (2-hydroxyethyl) ammonium methylsulfate and methylbis(hydrogenated tallowamidoethyl) (2-hydroxyethyl) ammonium methylsulfate, wherein R₁ is an acyclic aliphatic C₁₅-C₁₇ hydrocarbon group, R₂ is an ethylene group, R₅ is a methyl group, R₈ is a hydroxyalkyl group and A is a methylsulfate anion; these materials are available from Sherex Chemical Company under the trade names Varisoft 222 R and Varisoft 110 R, respectively.

Examples of Component (iv) are 1-methyl-1-tallowamino-ethyl-2-tallowimidazolinium methylsulfate and 1-methyl-1-(hydrogenated tallowamidoethyl)-methylsulfate.

Other suitable fabric softening actives include the following amines, provided they are present in the concentrated softening composition in a protonated form; such amines are of the formula :




wherein n is 2 or 3, preferably 2; R_1 and R_2 are, independently, a $\text{C}_8\text{-C}_{30}$ alkyl or alkenyl, preferably $\text{C}_{12}\text{-C}_{20}$ alkyl, more preferably $\text{C}_{15}\text{-C}_{18}$ alkyl, or mixtures of such alkyl radicals. Examples of such mixtures are the alkyl radicals obtained from coconut oil, "soft" (non-hardened) tallow, and hardened tallow. Q is CH_2 or N , preferably N , X is $\text{R}_4 - \text{T} - \text{C} -$

$$\begin{array}{c}
 \parallel \\
 \text{O}
 \end{array}$$

wherein T is O or NR_5 , R_5 being H or $\text{C}_1\text{-C}_4$ alkyl, preferably H , and R_4 is a divalent $\text{C}_1\text{-C}_3$ alkylene group or $(\text{C}_2\text{H}_4\text{O})_m$, wherein m is an integer of from 1 to 8; or X is R_4 .

Most preferred softening agents according to the above formula are imidazolines of the following formula :



wherein R₁ is a tallow group.

The softening amines described herein above are suitable for the purpose of the present invention provided they are present in the concentrated softening composition in a protonated form; a suitable means to protonate these amines is described for instance in EP 199 383.

A preferred softening active mixture for use herein is a mixture of 20% to 70% by weight of the softening active of ditallow dimethyl ammonium chloride (DTDMAC) and 30% to 80% ditallow imidazoline. Preferably, the concentrated compositions according to the invention comprise from 15% to 25% by weight of the finished product of such a mixture.

In an alternative preferred embodiment of the present invention, the softening active comprises a ditallow imidazoline ester such as described herein above (i.e. when T is 0 and R₁ and R₂ are both tallow in the formula above). This embodiment is particularly preferred for environmental reasons.


The compositions according to the invention further comprise from 0.3% to 3% by weight of the total composition of a linear fatty alcohol ethoxylate of the formula R₀(Etox)_n, wherein R is a linear C₈₋₁₈ alkyl chain, and n representing the weighted average ethoxylation degree is of from 3 to 35, or mixtures thereof. Preferred are linear fatty alcohol ethoxylates wherein R is a linear chain having from 10 to 13 carbon atoms, and wherein n is from 5 to 10, preferably 8. Preferably, these compounds, or mixtures thereof are present at levels of from about 1 to about 1.5% by weight of the total composition. These compounds are commercially available from BASF under the trade name LUTENSOL TO ®.

The compositions according to the present invention further comprise from 0.5% to 6% , preferably from 1.5% to 2.5% by weight of the composition of a nonionic hydrophylic polymer,

or mixtures thereof. Such suitable polymers include polyethylene glycol, polypropylene glycol, polyvinylalcohol and the like. Particularly preferred is a polyethylene glycol having a molecular weight of from 300 to 50000, preferably 2000 to 10000. In the preferred embodiment herein where the softening active is a mixture of DTDMAC and ditallow imidazoline, it is preferred to use a polyethylene glycol with a molecular weight of about 4000. In the alternative embodiment where the softening active comprises ditallow imidazoline ester, it is preferred to use a polyethylene glycol with a molecular weight of about 8000.

The compositions according to the present invention further comprise from 0% to 2%, preferably from 0% to 0.1% by weight of the total composition of a highly branched fatty alcohol having from 8 to 18 carbon atoms, preferably 12 to 14, or mixtures thereof, most preferably 13. Branched compounds similar to said highly branched fatty alcohols are often present in perfumes; thus, the level of said highly branched fatty alcohol to be added to the composition must be adjusted depending on the perfume which is used, if any. Such highly branched fatty alcohols suitable for use in the compositions according to the present invention are commercially available from EXXON under the trade name EXXAL ®.

The compositions according to the present invention further comprise from 0% to 0.5% by weight of the total composition of a linear or cyclic polydialkylsiloxane of the formula:



where R is a C₁-C₅ alkyl group and m is an integer of 1 to 500, or mixtures thereof. Said polydialkylsiloxanes components are not essential ingredients in the compositions according to the invention, as the compositions will retain viscosity upon dilution even in the absence of such

polydialkylsiloxanes. However, several benefits can be obtained from these polydialkylsiloxane, including improved stability of the finished product, improved water absorbancy of the treated fabrics. Said polydialkylsiloxanes can also be helpful in avoiding the formation of fabric softener residues which may occur in the dispenser of the washing machine. Thus, preferred compositions according to the present invention comprise from 0.05% to 0.5%, most preferably from 0.1% to 0.3% by weight of the total composition of the above polydialkylsiloxanes, or mixtures thereof. In the compositions according to the present invention where the softening active comprises the ditallow imidazoline ester described herein above, it is preferred to use a polydialkylsiloxane where R is methyl and m is about 200. In other compositions, it is preferred to use a polydialkylsiloxane where R is methyl and m is 7. Suitable polydialkylsiloxanes are commercially available from DOW CORNING under the trade name 200 fluid, and the preferred polydialkylsiloxanes for use herein are DOW CORNING's 200 fluid 350 CS (R is methyl and m is 203) and 5 CS (R is methyl and m is 7).

The compositions according to the invention may additionally comprise such conventional ingredients as perfumes, preservatives, germicides, colorants, fungicides, stabilizers, brighteners, opacifiers and the like, at conventional levels, i.e. up to about 5% by weight of the composition.

The compositions in their concentrated form have a viscosity of from 40 to 400 cps at 60 RPM shear rate. The compositions according to the invention can be used directly in the concentrated form, or they can preferably be diluted before they are used. The compositions according to the present invention are meant to be diluted in water, preferably in 2 to 3 times their weight of water. In diluted form, the compositions have a viscosity of from 20

to 60 cps at 60 RPM shear rate, preferably 30 to 50 cps at 60 RPM shear rate.

Thus, the present invention also encompasses a method for the softening of fabrics wherein the concentrated fabric softening compositions described herein above are diluted in water before they are contacted with said fabrics. In a preferred embodiment of said method, a concentrated softening composition as described herein above, which has a viscosity of from 40 to 400 cps at 60 RPM shear rate, is diluted in two times its weight of water so as to obtain a diluted fabric softening composition having a viscosity of from 20 to 60, preferably 30 to 50 cps at 60 RPM shear rate, and said diluted fabric softening composition is contacted with said fabrics in the rinse water.

The compositions according to the present invention are illustrated by the following examples.

Example 1

A composition according to the present invention is made, which comprises :

- Ditallow dimethyl ammonium chloride	7.60%
- Ditallow dimethyl imidazoline	14.20%
- HCl	0.82%
- Polyethylene glycol 4000 MW	2.00%
- Silicone oil 5CS	0.19%
- Lutensol R TO8	1.30%
- Exxal R 13	0.08%
- CaCl ₂	0.20%
- Perfume	0.70%
- waters and minors	to 100%

silicone oil 5 CS is a polydialkylsiloxane as defined in the description. Lutensol ® TO 8 is a linear fatty alcohol

ethoxylate, and EXXAL[®] 13 is a highly branched fatty alcohol, both according to the description hereinbefore.

The above composition was made by adding the HCl to a water seat at 60°C-65°C. To this solution, a molten permix of ditallow dimethyl ammonium chloride, ditallowimidazoline and Lutensol TO 8 is added at about 80°C-85°C, under agitation during about 10 minutes. An aqueous solution of CaCl₂ is then injected for about 5 minutes. A mixture of perfume and the silicone oil is then added. The composition is then cooled to room temperature. Finally a 50% solution of the polyethylene glycol 4000 MW is added. The composition thus obtained has a viscosity of about 65cps before dilution, and 50cps after dilution in 2 times its weight of water.

Example 2

A composition is made which contains:

- Ditallow imidazoline ester	22.00%
- HCl	1.27%
- Lutensol [®] T03	0.12%
- Lutensol [®] T05	0.24%
- Lutensol [®] T08	1.00%
- CaCl ₂	0.15%
- Polyethylene glycol 8000 MW	2.00%
- Perfume	1.06%
- Water & minors	Balance


Example 3

A composition is made which contains:

- Ditallow imidazoline ester	22.00%
- HCl	1.27%
- Lutensol [®] T03	0.12%
- Lutensol [®] T05	0.24%
- Lutensol [®] T08	1.00%
- Exxal [®] 13	0.06%
- Dow Corning 200 fluid 350 CS	0.19%
- CaCl ₂	0.15%
- Polyethylene glycol 8000 MW	2.00%
- Perfume	0.90%
- Water & minors	Balance

CLAIMS


1. A concentrated aqueous fabric softening composition comprising from 10 to 35 % by weight of a cationic fabric softening active or mixtures thereof, said composition further comprising
 - from 0.3% to 3% by weight of the total composition of a linear fatty alcohol ethoxylate of the formula $RO(Etox)_n$, wherein R is a linear C_8-C_{18} alkyl chain, and n representing the weighted average ethoxylation degree is of from 3 to 35, or mixtures thereof;
 - from 0.5% to 6% by weight of the total composition of a nonionic hydrophilic polymer, or mixtures thereof;
 - from 0 to 2% by weight of the total composition of a highly branched fatty alcohol having from 8 to 18 carbon atoms, or mixtures thereof
 - from 0 to 0.5% by weight of the total composition of a linear or cyclic polydialkylsiloxane of the formula :



wherein R is a C_1-C_5 alkyl chain, and m is an integer of from 1 to 500, or mixtures thereof.


2. A composition according to claim 1 which comprises from 15% to 25% by weight of the total composition of said cationic fabric softening active, or mixtures thereof.
3. A concentrated fabric softening composition according to the preceding claims wherein said cationic softening active is a mixture of ditallow dimethyl ammonium chloride and ditallow imidazoline.
4. A concentrated fabric softening composition according to claim 3 which consists of from 20% to 70% by weight of said softening active of ditallowdimethyl ammonium chloride and from 30% to 80% by weight of said softening active of ditallow imidazoline.

5. A concentrated fabric softening composition according to claims 3 and 4 which comprises from 1.5% to 2.5% by weight of the total composition of a polyethylene glycol having a molecular weight of 4000.
6. A concentrated fabric softening composition according to claims 3-5 which comprises from 0.05% to 0.5%, preferably 0.1% to 0.3% by weight of the total composition of said linear or cyclic polydialkylsiloxane of the formula :



wherein R is methyl, and m is 7.

7. A concentrated fabric softening composition according to claims 1 and 2 wherein said softening active comprises ditallow imidazoline ester.
8. A concentrated fabric softening composition according to claim 7 which comprises a polyethylene glycol having a molecular weight of 8000.
9. A concentrated fabric softening composition according to claims 7-8 which comprises from 0.05% to 0.5%, preferably 0.1% to 0.3% by weight of the total composition of said linear or cyclic polydialkylsiloxane of the formula :



wherein R is a methyl, and m is 203.

10. A concentrated fabric softening composition according to the preceding claims which comprises from 1% to 1.5% by weight of the total composition of said fatty alcohol ethoxylate of the formula $\text{RO}(\text{Etox})_n$, wherein R is a linear C_{10} - C_{13} alkyl chain, and n representing the weighted average ethoxylation degree is of from 5 to 10, preferably 8.

11. A concentrated fabric softening composition according to the preceding claims which comprises from 0% to 0.1% by weight of the total composition of said highly branched fatty alcohol, said highly branched fatty alcohol having from 12 to 14 carbon atoms, preferably 13.
12. A concentrated fabric softening composition according to any of the preceding claims, said composition having a viscosity of from 40 to 400 cps at 60 RPM shear rate before dilution, and said composition having a viscosity of from 20 to 60 cps at 60 RPM shear rate after it has been diluted in 2 times its weight of water.
13. A concentrated fabric softening composition according to claim 12 which has a viscosity of from 30 to 50 cps at 60 RPM shear rate after it has been diluted in 2 times its weight of water.
14. A method for the softening of fabrics wherein a concentrated fabric softening composition according to claims 1 to 10 and having a viscosity of from 40 to 400 cps at 60 RPM shear rate is diluted in 2 times its weight of water so as to obtain a diluted fabric softening composition having a viscosity of 20 to 60 cps at 60 RPM shear rate, and wherein said diluted fabric softening composition is contacted with said fabrics in rinse water.
15. A method according to claim 14 wherein the concentrated fabric softening composition having a viscosity of from 40 to 400 cps at 60 RPM shear rate is diluted in 2 times its weight of water so as to obtain a diluted fabric softening composition having a viscosity of 30 to 50 cps at 60 RPM shear rate.

INTERNATIONAL SEARCH REPORT

PCT/US92/00661
International Application No.

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) * According to International Patent Classification (IPC) or to both National Classification and IPC: IPC(5): D06M 10/08 US CL.: 252/8.6,8.8,8.9,542,547						
II. FIELDS SEARCHED <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Minimum Documentation Searched †</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 30%; border: 1px solid black; text-align: left;">Classification System</th> <th style="border: 1px solid black; text-align: left;">Classification Symbols</th> </tr> <tr> <td style="border: 1px solid black; text-align: center; vertical-align: middle;">US CL.</td> <td style="border: 1px solid black; text-align: center; vertical-align: middle;">252/8.6,8.8,8.9,542,547</td> </tr> </table> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ‡</div>			Classification System	Classification Symbols	US CL.	252/8.6,8.8,8.9,542,547
Classification System	Classification Symbols					
US CL.	252/8.6,8.8,8.9,542,547					
III. DOCUMENTS CONSIDERED TO BE RELEVANT †						
Category *	Citation of Document, †† with indication, where appropriate, of the relevant passages ‡‡	Relevant to Claim No. ‡‡				
X	US, A, 3,962,100 (MURPHY et al.) 08 June 1976 (see col. 2, lines 5-43; see col. 3 - col. 4, lines 52-1) see col. 8, lines 4-19; see col. 10, lines 60-66; see Example II)	1-15				
X	US, A, 4,025,444 (MURPHY et al.) 24 May 1977 (see col. 2, lines 8-45; see col. 3, lines 40-57; see col. 7 - col. 8, lines 60-7; see col. 10, lines 49-55; see Example II)	1-15				
Y	US, A, 4,152,272 (YOUNG) 01 May 1979 (see col. 3, lines 47-50; see col. 5 - col. 6, lines 45-43; see Examples 4 and 6.	1-15				
Y	US, A, 4,335,024 (HENNEMANN et al.) 15 June 1982 (see col. 3, lines 20-34; see col. 4 - col. 5, lines 56-12; see Examples 2, 3 and 5).	1-10				
Y	US, A, 4,724,089 (KONIG et al) 09 February 1988 (see col. 4, lines 4-23; see col. 5, lines 14-26; see col. 5, line 54-61; see col. 6, lines 3-9; see col. 6, line 39; see claims)	1-15				
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: †‡</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>						
IV. CERTIFICATION						
Date of the Actual Completion of the International Search <div style="text-align: center; font-size: 1.2em;">14 April 1992</div>		Date of Mailing of this International Search Report <div style="text-align: center;"> Signature of Authorized Officer William S. Parks </div>				
International Searching Authority <div style="text-align: center; font-weight: bold;">ISA/US</div>						

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)

Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
Y	Us, A, 4,795,584 (ROSS et al.) 03 Jan 1989 (see col. 7, lines 25-29; see col. 10, lines 7-13; see claims)	1-10

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)